

## SeaWind III



## SeaWind III - flexible and ergonomic

Comfortable suit for demanding conditions. Designed with focus on ergonomics, weight and comfort without compromise. SeaWind has been certified according to SOLAS-, ISO- and EASA-requirements (triple certified). As such it has been approved for most any demanding work situation. No other survival suit can claim to be suitable for such a wide range of applications as the SeaWind concept. The suit is approved for work, shipping and helicopter transport. To achieve the helicopter transport approval, the suit is fitted with a thermal lining, and it must be worn with a SeaLion Europe or Halo passenger lifejackets.

Its many details, great flexibility and wide range of applications makes this Norwegian made suit from Hansen Protection the first choice for many occupational groups and professionals, not least for use in the demanding conditions that is part of the service and maintenance of wind turbines and offshore oil & gas installations.

# Facts

- Ergonomic – Y-construction with maximum freedom of movement
- Breathability – durable fabrics with highly breathable properties from GoreTex
- Lightweight – made as a shell suit to reduce weight
- Ventilation – adjustable neck-seal to enhance ventilation in non-exposed situations
- Hood on left shoulder
- Pockets - roomy pockets
- For easy integration with safety equipment such as harness and/or life-jacket, the suit is “clean” on both chest and back
- Diagonal front zip in soft
- Cuff-cover over sleeve seals
- Boot gaiter on lower legs with roomy pockets
- Pockets – roomy pockets constructed with mesh to enhance the breathable properties of the fabric, placed to ensure ease of access
- Must be used with a lifejacket approved for the user area
- For easy integration with safety equipment such as harness and/or SeaLion lifejacket, the suit is “clean” on both chest and back
- The suit fulfills the requirements of the IMO/Solas LSA code as an

uninsulated (1 hour) suit, and ISO 15027-1 as a Class D immersion/quick donning suit (without lining)

- SeaWind III fulfills the requirements for a Class B suit (4 hours thermal protection) according to ISO 15027 and also ETSO regulations (when used with a lining).
- The suit fulfills the requirements of the IMO/Solas LSA code as an insulated (6 hour) suit